Canadian Journal of Anesthesia

Index of Authors

Volume 53, December 2006

Note: Abstracts and refresher course outlines in the June *Annual Meeting Supplement* are not included in this index.

A

A-Refai AR. See *Al-Mujadi H.*

Abotaiban A. See *Morley-Forster PK.*

Abramovitz S. See *Kjaer K.*

Adhikari NKJ. See *Burns KEA.*

Aksoy T. See *Altmay E.*

Al-Jahdari WS, Saito S, Nakano T, Goto F. Propofol induces growth cone collapse and neurite retractions in chick explant culture, 1078

Al-Mujadi H, A-Refai AR, Katzarov MG, Dehrab NA, Batra YK, Al-Qattan AR. Preemptive gabapentin reduces postoperative pain and opioid demand following thyroid surgery, 268

Al-Qattan AR. See *Al-Mujadi H.*

Al-Tannir M. See *Naja Z.*

Alberton D. See *Jacka MJ.*

Alhashemi JA, Alotaibi QA, Mashaat MS, Kaid TM, Mujallid RH, Kaki AM. Intravenous acetaminophen *vs.* oral ibuprofen in combination with morphine PCIA after Cesarean delivery, 1200

Alhashemi JA, Kaki AM. Anesthesiologist-controlled *versus* patient-controlled propofol sedation for shockwave lithotripsy, 449

Ali M. See *Béïque F.*

Alm R. See *Parlow JL.*

Alotaibi QA. See *Alhashemi JA.*

Altmay E, Karaca P, Yurtseven N, Özkul V, Aksoy T, Özler A, Canik S. Continuous positive airway pressure does not improve lung function after cardiac surgery, 919

Angle P. See *Morley-Forster PK.*

Angle PJ, Hussain K, Morgan A, Halpern SH, Van der Vyver M, Yee J, Kiss A. High quality labour analgesia using small gauge epidural needles and catheters, 263

Ansermino JM. See *Nakatsuka N.*

Aoe T. See *Saito O.*

Arnulf JJ. See *Lena P.*

Asehnoune K. See *Minville V.*

Avidan M. See *Jacobsohn E.*

Avidan MS. See *Jacobsohn E.*

Avramovich A. See *Raz A.*

Awad IT, Chung F. Factors affecting recovery and discharge following ambulatory surgery, 858

Axelsson P, Thörn S-E, Lövqvist Å, Wattwil L, Wattwil M. Betamethasone does not prevent nausea and vomiting induced by the dopamine-agonist apomorphine, 370

Ayala G. See *García-Aguado R.*

Ayoub J. See *Ferrandière M.*

Azavedo L. See *Bhananker SM.*

Aziz A. See *Turgeon AF.*

B

Babin D. See *Denault AY.*

Backman SB. See *Li Pi Shan W.*

Baerlocher MO, Hussain R, Bradley J. Gender patterns amongst Canadian anesthesiologists, 437

Bahk J-H. See *Jeon Y.*

Bainbridge D, Cheng DC, Martin JE, Novick R, Evidence-Based Perioperative Clinical Outcomes Research (EPiCOR) Group. NSAID-analgesia, pain control and morbidity in cardiothoracic surgery, 46

Bainbridge D, Martin JE, Cheng DC. Patient-controlled *versus* nurse-controlled analgesia after cardiac surgery – a meta-analysis, 492

Baker A, Beed S, Fenwick J, Kjerulf M, Bell H, Logier S, Shepherd J. Number of deaths by neurological criteria, and organ and tissue donation rates at three critical care centres in Canada, 722

Baker AJ. See *Hare GMT.; Jivraj S.*

Balarac N. See *Lena P.*

Ball M. See *Dobson G.*

Ballen J, Raabe M, Muirhead B. Aortic dissection and hypothermic arrest in a Jehovah's Witness patient: a case for recombinant factor VIIa?, 353

Baran D. See *Cloutier R.*

Baris S. See *Ozer M.*

Barnieh L, Baxter D, Boiteau P, Manns B, Doig C. Benchmarking performance in organ donation programs: dependence on demographics and mortality rates, 727

Baron L, Shemie SD, Teitelbaum J, Doig CJ. Brief review: History, concept and controversies in the neurological determination of death, 602
Barvais L. See *Mathieu N.*
Basagan-Mogol E. See *Gurbet A.*
Bastien JL, O'Brien JG, Frantz FW. Extraluminal use of the Arndt pediatric endobronchial blocker in an infant: a case report, 159
Batra YK. See *Al-Mujadi H.*
Baxter D. See *Barnieh L.*
Beattie S. See *Djaiani G.*
Beattie WS. See *Karkouti K.; Yu C.*
Beaulieu P. Effects of nabilone, a synthetic cannabinoid, on postoperative pain, 769
Beed S. See *Baker A.*
Beevi S. See *Thomas S.*
Béïque F, Ali M, Hynes M, MacKenzie S, Denault A, Martineau A, MacAdams C, Sawchuk C, Hirsch K, Lampa M, Murphy P, Honos G, Munt B, Sanfilippo A, Duke P. Canadian guidelines for training in adult perioperative transesophageal echocardiography, 1044
Bel I, Moreno L-A, Gomar C. Epidural dextran-40 and paramethasone injection for treatment of spontaneous intracranial hypotension, 591
Bell H. See *Baker A.*
Benhamou D. See *Van Elstraete AC.*
Beriault M, Green J, Hui A. Innovative airway management for peritonsillar abscess, 92
Bertrand P. See *Ehrmann S.*
Bhananker SM, Azavedo L, MacCormick J, Splinter W. Topical lidocaine and oral acetaminophen provide similar analgesia for myringotomy and tube placement in children, 1111
Bienengraeber M. See *Krolikowski JG.*
Bier JC. See *Kapessidou Y.*
Billard M. See *Cloutier R.*
Boiteau P. See *Barnieh L.*
Bolton CF. See *Murray MJ.*
Boogaerts JG. See *Kapessidou Y.*
Boushra NN, Muntazar M. Review article: The role of statins in reducing perioperative cardiac risk: physiologic and clinical perspectives, 1126
Bradley J. See *Baerlocher MO.*
Bragg PR. See *Bryson GL.*
Brimacombe J. See *García-Aguado R.*
Brindley PG. See *Scozzafava J.; Torok-Both CJ.*
Brindley PG, Paton-Gay D. Best evidence in critical care medicine: Treatment for hyperglycemia in the intensive care unit: a "bittersweet" message. Commentary, 947
Brindley PG, Zhu N, Sligl W. Best evidence in critical care medicine: Early antibiotics and survival from septic shock: it's about time. Commentary, 1157
Brown DR. See *Sprung J.*
Brull SJ. See *Murray MJ.*
Bruschini G. See *Cereda CMS.*
Bryson GL. See *Fayad A.*
Bryson GL, Wyand A, Bragg PR. Preoperative testing is inconsistent with published guidelines and rarely changes management, 236
Buffett-Jerrott S. See *Finley GA.*
Buithieu J. See *Denault AY.*
Burchfield DJ. See *Frölich MA.*
Burke AM. See *Goutcher CM.*
Burns KEA, Adhikari NKJ, Meade MO. A meta-analysis of noninvasive weaning to facilitate liberation from mechanical ventilation, 305
Byrick R. See *Caputo KM.*

C

Callum JL. See *Karkouti K.*
Campbell DC. See *McBain J.*
Camporota L. See *Miller DM.*
Canik S. See *Altmay E.*
Caputo KM, Byrick R, Chapman MG, Orser BJ, Orser BA. Intubation of SARS patients: infection and perspectives of healthcare workers, 122
Carli F. See *Hong X.*
Carrier M. See *Denault AY.*
Carroll J. See *Djaiani G.*
Cascajo C. See *Rodríguez-López JM.*
Cass DE. See *Tenn-Lyn NA.*
Castel A. See *Minville V.*
Catalaa I. See *Nguyen L.*
Caton D. See *Frölich MA.*
Cereda CMS, Bruschini G, de Araújo DR, de Paula E. Liposomal formulations of prilocaine, lidocaine and mepivacaine prolong analgesic duration, 1092
Chandra D, Tessler MJ, Usher J. Audio spectrum and sound pressure levels vary between pulse oximeters, 26
Chapman MG. See *Caputo KM.*
Charlebois P. See *Hong X.*
Chassery C. See *Minville V.; Nguyen L.*
Chee VWT. See *Chin KJ.*
Chen J-Y. See *Wu C-C.*
Chen S. See *Liu Y.*
Cheng DC. See *Bainbridge D.*
Cherniak A. See *Ezri T.*
Chin KJ. See *Chong CT.*

Chin KJ, Chee VWT. Laryngeal edema associated with the ProSeal™ laryngeal mask airway in respiratory tract infection, 389
Choi M. See *Jivraj S.*
Chong CT, Chin KJ, Yip LW, Singh K. Case series: Monocular visual loss associated with subarachnoid hemorrhage secondary to ruptured intracranial aneurysms, 684
Chung F. See *Awad IT.*
Cina CS. See *Fayad A.*
Clark J. See *Izrailtyan I.*
Cloutier R, Baran D, Morin JE, Dandavino R, Marleau D, Naud A, Gagnon R, Billard M. Brain death diagnoses and evaluation of the number of potential organ donors in Québec hospitals, 716
Clunie M. See *Leipoldt CCP.*
Cnudde N. See *Mathieu N.*
Colombani A. See *Minville V.*
Comerford M. See *Kjaer K.*
Conti M. See *Van Elstraete AC.*
Cook DJ. See *Rocker GM.*
Cossar DF. See *Goutcher CM.*
Court CA. See *Nakatsuka N.*
Couture P. See *Denault AY.*
Cox RG, Nemish U, Ewen A, Crowe M-J. Evidence-based clinical update: Does premedication with oral midazolam lead to improved behavioural outcomes in children?, 1213
Crawford MW. See *Prinzhausen H.*
Crowe M-J. See *Cox RG.*
Csanyi-Fritz Y. See *Nakatsuka N.*
Cummings III KC, Dolak JA. Case report: Epidural abscess in a parturient with pruritic urticarial papules and plaques of pregnancy (PUPP), 1010
Currin M. See *Morley-Forster PK.*
Cusimano RJ. See *Djaiani G.*

D

d'Hollander A. See *Pandin P.*
D'Souza S. See *Dalal AR.*
Dai T. See *Liu H.*
Dain S. See *Hadi I.*
Dalal AR, D'Souza S, Shulman MS. Brief review: Coronary drug-eluting stents and anesthesia, 1230
Dandavino R. See *Cloutier R.*
Dattilo KM. See *Karkouti K.*
Davis RD. See *Izrailtyan I.*
de Araújo DR. See *Cereda CMS.*
de Paula E. See *Cereda CMS.*
De Wet CJ. See *Jacobsohn E.*
Dehrab NA. See *Al-Mujadi H.*
Denault A. See *Béïque F.*
Denault AY, Couture P, Buithieu J, Haddad F, Carrier M, Babin D, Levesque S, Tardif J-C. Left and right ventricular diastolic dysfunction as predictors of difficult separation from cardiopulmonary bypass, 1020
Dequin P-F. See *Ehrmann S.*
Deschamps A. See *Villeneuve V.*
Deschamps S. See *Trager G.*
Dian-San S, Xiang-Rui W, Yongjun Z, Yan-Hua Z. Low hematocrit worsens cerebral injury after prolonged hypothermic circulatory arrest in rats, 1220
DiMaria L. See *Kjaer K.*
Djaiani G, Fedorko L, Cusimano RJ, Mikulis D, Carroll J, Poonawala H, Beattie S, Karski J. Off-pump coronary bypass surgery: risk of ischemic brain lesions in patients with atheromatous thoracic aorta, 795
Dobson G, Maher N, Ball M, Kryski A, Moore R. Echo contrast as an adjunct to intraoperative angiography in the detection of endoleaks (Images in anesthesia), 516
Dohi S. See *Oshima T.*
Doig C. See *Barnieh L.; Kutsogiannis DJ.*
Doig CJ. See *Baron L.; Hornby K.; Tenn-Lyn NA.; Young GB.*
Doig CJ, Young K, Teitelbaum J, Shemie SD. Survey: Determining brain death in Canadian intensive care units, 609
Dolak JA. See *Cummings III KC.; Frost DA.; Sivaprakasam MJ.*
Donati F. See *Gagnon C.*
Doucette S. See *Turgeon AF.*
Doufas AG. See *Tsai Y-F.*
Duke P. See *Béïque F.*

E

Ehrmann S, Mercier E, Bertrand P, Dequin P-F. The logistic organ dysfunction score as a tool for making ethical decisions, 518
Eidelman A. See *Ezri T.*
Eidelman LA. See *Raz A.*
El-Rajab M. See *Naja Z.*
Engelman E. See *Mathieu N.*
Euliano TY. See *Frölich MA.*
Evidence-Based Perioperative Clinical Outcomes Research (EPiCOR) Group. See *Bainbridge D.*
Evron S. See *Ezri T.*

Ewanchuk MA, Hudson DA. Best evidence in anesthesia practice: Recombinant activated factor VII for acute intracerebral hemorrhage: a promising therapy for a devastating problem? Commentary, 250
Ewen A. See *Cox RG.*
Ezri T, Lerner E, Muggia-Sullam M, Medalion B, Tzivian A, Cherniak A, Szmuk P, Shimonov M. Phosphate salt bowel preparation regimens alter perioperative acid-base and electrolyte balance, 153
Ezri T, Zahalka I, Zabeeda D, Feldbrin Z, Eidelman A, Zimlichman R, Medalion B, Evron S. Similar incidence of hypotension with combined spinal-epidural or epidural alone for knee arthroplasty, 139

F
Faclier G. See *Gofeld M.*
Farand P, Hamel M, Lauzier F, Plante GE, Lesur O. Review article: Organ perfusion/permeability-related effects of norepinephrine and vasopressin in sepsis, 934
Fayad A, Yang H, Nathan H, Bryson GL, Cina CS. Acute diastolic dysfunction in thoracoabdominal aortic aneurysm surgery, 168
Fedorko L. See *Djaiani G.*
Feldbrin Z. See *Ezri T.*
Fenwick J. See *Baker A.*
Fergusson DA. See *Turgeon AF.*
Ferrandière M, Hazouard E, Ayoub J, Laffon M, Gage J, Mercier C, Fusciardi J. Non-invasive ventilation corrects alveolar hypoventilation during spinal anesthesia, 404
Fidler H. See *Lockyer JM.*
Finley GA, Stewart SH, Buffett-Jerrott S, Wright KD, Millington D. High levels of impulsivity may contraindicate midazolam premedication in children, 73
Finucane BT. See *O'Connor P.; Tsui BCH.*
Fischer L. See *Kimberger O.*
Fortier L-P. See *Gagnon C.*
Fourcade O. See *Minville V.*
Frantz FW. See *Bastien JL.*
Fredman B. See *Zohar E.*
Frigas E. See *Hall BA.*
Frölich MA, Burchfield DJ, Euliano TY, Caton D. A single dose of fentanyl and midazolam prior to Cesarean section have no adverse neonatal effects, 79
Frost DA, Dolak JA. Cesarean section in a patient with familial cardiomyopathy and a cardioverter-defibrillator, 478
Fukuda K. See *Iida H.*
Fukuda S. See *Takakura K.*
Fusciardi J. See *Ferrandière M.*

G
Gadalla F. See *Kjaer K.*
Gage J. See *Ferrandière M.*
Gagnon C, Fortier L-P, Donati F. When a leak is unavoidable, preoxygenation is equally ineffective with vital capacity or tidal volume breathing, 86
Gagnon R. See *Cloutier R.*
Gajic O. See *Sprung J.*
Ganapathy S. See *Morley-Forster PK.*
García-Aguado R, Viñoles J, Brimacombe J, Vivó M, López-Estudillo R, Ayala G. Suction catheter guided insertion of the ProSeal™ laryngeal mask airway is superior to the digital technique, 398
García-Criado FJ. See *Rodríguez-López JM.*
Gebhart JB. See *Sprung J.*
George RB, McKeen D, Law JA. Laryngoscopic evaluation with the Airway Cam® laryngoscopy video system, 512
Ghannam M. See *Karkouti K.*
Gibney RTN. See *Jacka MJ.*
Gillett MD. See *Hall BA.*
Gilron I. Review article: The role of anticonvulsant drugs in postoperative pain management: a bench-to-bedside perspective, 562
Gofeld M, Faclier G. Bilateral pain relief after unilateral thoracic percutaneous sympathectomy, 258
Goldszmidt E. See *Lilker S.*
Gomar C. See *Bel I.*
Goto F. See *Al-Jahdari WS.; Kanemaru Y.*
Goutcher CM, Cossar DF, Ratnasabapathy U, Burke AM. Magnesium in the management of catecholamine-secreting glomus tumours with intracranial extension, 316
Green J. See *Beriault M.*
Gurbet A, Basagan-Mogol E, Turker G, Ugun F, Kaya FN, Ozcan B. Intraoperative infusion of dexmedetomidine reduces perioperative analgesic requirements, 646

H
Haddad F. See *Denault AY.*
Hadi I, Morley-Forster PK, Dain S, Horrill K, Moulin DE. Brief review: Perioperative management of the patient with chronic non-cancer pain, 1190

Hall BA, Frigas E, Matesic D, Gillett MD, Sprung J. Case report: Intraoperative anaphylactoid reaction and hydroxyethyl starch in balanced electrolyte solution (Hextend®), 989
Hall G. See *Sarkar P.*
Halpern SH. See *Angle PJ.; Morley-Forster FK.*
Hamel M. See *Farand P.*
Hanson J. See *O'Connor P.*
Hantler CB. See *Jacobsohn E.*
Hare GMT. See *Jivraj S.*
Hare GMT, Harrington A, Liu E, Wang JL, Baker AJ, Mazer CD. Effect of oxygen affinity and molecular weight of HBOCs on cerebral oxygenation and blood pressure in rats, 1030
Harrington A. See *Hare GMT.*
Hatzakorzian R. See *Li Pi Shan W.*
Hazouard E. See *Ferrandière M.*
Hébert PC. See *Turgeon AF.*
Heggie J. See *Riazi S.*
Heiderhoff M. See *Preckel B.*
Hemmerling TM. See *Trager G.*
Hennes J. See *Preckel B.*
Hirose Y. See *Morimoto Y.*
Hirsch K. See *Béïque F.*
Hong X, Mistraletti G, Zandi S, Stein B, Charlebois P, Carli F. Laparoscopy for colectomy accelerates restoration of bowel function when using patient controlled analgesia, 544
Honos G. See *Béïque F.*
Hornby K, Ross H, Keshavjee S, Rao V, Shemie SD. Non-utilization of hearts and lungs after consent for donation: a Canadian multicentre study, 831
Hornby K, Shemie SD, Teitelbaum J, Doig CJ. Variability in hospital-based brain death guidelines in Canada, 613
Horrill K. See *Hadi I.*
Huang C-S. See *Tsai Y-F.*
Hudcova J, Schumann R. Arterial to end-tidal CO_2 gradient reversal during laparoscopic pheochromocytoma resection, 409
Hudson DA. See *Ewanchuk MA.*
Hueftlein M. See *Syed S.*
Hui A. See *Beriault M.*
Hung O, Law JA. Advances in airway management, 628
Hussain K. See *Angle PJ.*
Hussain MS. See *Scozzafava J.*
Hussain R. See *Baerlocher MO.*
Hynes M. See *Béïque F.*

I

Iida H, Matsuura S, Shirakami G, Tanimoto K, Fukuda K. Differential effects of intravenous anesthetics on ciliary motility in cultured rat tracheal epithelial cells, 242
Izrailtyan I, Clark J, Swaminathan M, Podgoreanu MV, Mackensen B, Davis RD, Mathew JP. Case report: Optimizing intraoperative detection of pulmonary embolism using contrast-enhanced echocardiography, 711

J

Jacka MJ. See *Torok-Both CJ.*
Jacka MJ, Alberton D, Gibney RTN. Best evidence in critical care medicine: Fluid resuscitation among the critically ill: more water under the bridge. Commentary, 1258
Jacobsohn E, Avidan MS, Hantler CB, Rosemeier F, De Wet CJ. Case report: Inferior vena cava right atrial stenosis after bicaval orthotopic heart transplantation, 1039
Jacobsohn E, Klock PA, Avidan M, Oral Examinations Group. Poor inter-rater reliability on mock anesthesia oral examinations, 659
Jankowski CJ. See *Sprung J.*
Jeerakathil T. See *Scozzafava J.*
Jeon Y, Ryu H-G, Yoon S-Z, Kim J-H, Bahk J-H. Transesophageal echocardiographic evaluation of ECG-guided central venous catheter placement, 978
Jivraj S, Mazer CD, Baker AJ, Choi M, Hare GMT. Case report: Profound hypotension associated with labetalol therapy in a patient with cerebral aneurysms and subarachnoid hemorrhage, 678

K

Kaid TM. See *Alhashemi JA.*
Kaki AM. See *Alhashemi JA.*
Kampf M. See *Syed S.*
Kanemaru Y, Nishikawa K, Goto F. Bispectral index and regional cerebral oxygen saturation during propofol/N_2O anesthesia, 363
Kapessidou Y, Vokaer M, Laureys M, Bier JC, Boogaerts JG. Case report: Cerebral vein thrombosis after subarachnoid analgesia for labour, 1015
Karaca P. See *Altmay E.*
Karakaya D. See *Ozer M.*
Karapillai D. See *McCall P.*
Kardash KJ. See *Tessler MJ.*
Karkouti K. See *Riazi S.*

Karkouti K, Dattilo KM. Perioperative hemostasis and thrombosis, 1260
Karkouti K, McCluskey SA, Ghannam M, Salpeter M-J, Quirt I, Yau TM. Intravenous iron and recombinant erythropoietin for the tex of postoperative anemia, 11
Karkouti K, O'Farrell R, Yau TM, Beattie WS, Reducing Bleeding in Cardiac Surgery (RBC) Research Group. Prediction of massive blood transfusion in cardiac surgery, 781
Karkouti K, Shayan S, Wijeysundera DN, McCluskey SA, Ghannam M, Beattie WS. Prognostic value of postoperative proteinuria in cardiac surgery: a pilot study, 500
Karkouti K, Wijeysundera DN, Yau TM, Callum JL, Meineri M, Wasowicz M, McCluskey SA, Beattie WS. Platelet transfusions are not associated with increased morbidity or mortality in cardiac surgery, 279
Karkouti K, Yau TM, Riazi S, Dattilo KM, Wasowicz M, Meinerid M, McCluskey SA, Wijeysundera DN, van Rensburg A, Beattie WS. Determinants of complications with recombinant factor VIIa for refractory blood loss in cardiac surgery, 802
Karski J. See *Djaiani G.*
Kasodekar S. See *Lilker S.*
Kasuya Y. See *Oshima T.*
Katzarov MG. See *Al-Mujadi H.*
Kaufman I. See *Villeneuve V.*
Kaya FN. See *Gurbet A.*
Kearney RA. See *Nakatsuka N.*
Kersten JR. See *Krolikowski JG.*
Keshavjee S. See *Hornby K.*
Khanna MP. See *Turgeon AF.*
Kim J-H. See *Jeon Y.*
Kim JA, Lee JJ. Preoperative predictors of difficult intubation in patients with obstructive sleep apnea syndrome, 393
Kimberger O, Fischer L, Plank C, Mayer N. Lower flange modification improves performance of the Macintosh, but not the Miller laryngoscope blade, 595
Kingsley J. See *Nakatsuka N.*
Kiselev M. See *Kjaer K.*
Kiss A. See *Angle PJ.*
Kjaer K, Comerford M, Kondilis L, DiMaria L, Abramovitz S, Kiselev M, Samuels J, Gadalla F, Leighton BL. Oral sodium citrate increases nausea amongst elective Cesarean delivery patients, 776
Kjerulf M. See *Baker A.*
Klock PA. See *Jacobsohn E.*
Kocamanoglu S. See *Ozer M.*
Kondilis L. See *Kjaer K.*
Kozikowski A. See *Saito O.*
Kriegler S. See *Mollison HL.*
Krolikowski JG, Weihrauch D, Bienengraeber M, Kersten JR, Warltier DC, Pagel PS. Role of Erk1/2, p70s6K, and eNOS in isoflurane-induced cardioprotection during early reperfusion *in vivo*, 174
Kryski A. See *Dobson G.*
Kuczkowski KM. Ex utero intrapartum treatment (exit procedure): fetal airway management (Images in anesthesia), 1117
Kumar A. See *Wong DT.*
Kutsogiannis DJ, Pagliarello G, Doig C, Ross H, Shemie SD. Medical management to optimize donor organ potential: review of the literature, 820

L

Laffon M. See *Ferrandière M.*
Laflamme C. See *Wong SSF.*
Lafosse J-M. See *Minville V.*
Lam AM. See *Rozet I.*
Lam M. See *Turner K.*
Lampa M. See *Béïque F.*
Laureys M. See *Kapessidou Y.*
Lauzier F. See *Farand P.*
Law JA. See *George RB.; Hung O.*
Lebrun T, Van Elstraete AC, Sandefo I, Polin B, Pierre-Louis L. Lack of a pre-emptive effect of low-dose ketamine on postoperative pain following oral surgery, 146
Lee J. See *Park HJ.*
Lee JJ. See *Kim JA.*
Lee Y. See *Park HJ.*
Leighton BL. See *Kjaer K.*
Leipoldt CCP, McKay WPS, Clunie M, Miller G. Peripheral venous pressure predicts central venous pressure poorly in pediatric patients, 1207
Lemire EG. See *McBain J.*
Lena P, Mariottini CJ, Balarac N, Arnulf JJ, Mihoubi A, Martin R. Remifentanil *versus* propofol for radio frequency treatment of atrial flutter, 357
Lerner E. See *Ezri T.*
Lesur O. See *Farand P.*
Leung A. See *Morley-Forster PK.*
Levesque S. See *Denault AY.*
Li LXY. See *Tsui BCH.*
Li Pi Shan W, Hatzakorzian R, Sherman M, Backman SB. Upper airway compromise secondary to edema in Graves' disease, 183

Liedl L. See *Sprung J.*
Lilker S, Kasodekar S, Goldszmidt E. Anesthetic management of a parturient with carnitine palmitoyltransferase II deficiency, 482
Lim J. See *Nakatsuka N.*
Lin C-M. See *Tsai Y-F.*
Lin C-S. See *Wu C-C.*
Liou F-C. See *Tsai Y-F.*
Littleford J. See *Morley-Forster PK.*
Liu E. See *Hare GMT.*
Liu H, Dai T, Yao S. Effect of thiopental sodium on N-methyl-D-aspartate-gated currents, 442
Liu Y, Xiong L, Chen S, Wang Q. Isoflurane tolerance against focal cerebral ischemia is attenuated by adenosine A_1 receptor antagonists, 194
Lockyer JM, Violato C, Fidler H. A multi source feedback program for anesthesiologists, 33
Logier S. See *Baker A.*
Lönnqvist P-A. See *Naja Z.*
López-Estudillo R. See *García-Aguado R.*
Lövqvist A. See *Axelsson P.*
Lozano FS. See *Rodríguez-López JM.*
Luban I. See *Zohar E.*

M

Ma V. See *Tsui BCH.*
MacAdams C. See *Béïque F.*
MacCormick J. See *Bhananker SM.*
MacDougall PC. Postoperative tracheal rupture in a patient with a difficult airway, 385
Mackensen B. See *Izrailtyan I.*
MacKenzie S. See *Béïque F.*
Mackillop W. See *Turner K.*
Maher N. See *Dobson G.*
Malherbe S. See *Nakatsuka N.*
Manns B. See *Barnieh L.*
Mariottini CJ. See *Lena P.*
Marleau D. See *Cloutier R.*
Marnane C. See *Saravanan P.*
Martin JE. See *Bainbridge D.*
Martin R. See *Lena P.*
Martineau A. See *Béïque F.*
Mashaat MS. See *Alhashemi JA.*
Matesic D. See *Hall BA.*
Mathew JP. See *Izrailtyan I.*
Mathieu N, Cnudde N, Engelman E, Barvais L. Intranasal sufentanil is effective for postoperative analgesia in adults, 60
Matsuura S. See *Iida H.*
Mayer N. See *Kimberger O.*
Mazer CD. See *Hare GMT.; Jivraj S.*
Mazoit J-X. See *Van Elstraete AC.*
McBain J, Lemire EG, Campbell DC. Epidural labour analgesia in a parturient with Noonan syndrome: a case report, 274
McCall P, Story DA, Karapillai D. Audit of factor VIIa for bleeding resistant to conventional therapy following complex cardiac surgery, 926
McCluskey SA. See *Karkouti K.*
McKay WPS. See *Leipoldt CCP.; Mollison HL.*
McKeen D. See *George RB.*
McLean RF. See *Syed S.*
Meade MO. See *Burns KEA.*
Medalion B. See *Ezri T.*
Meineri M. See *Karkouti K.*
Mercier C. See *Ferrandière M.*
Mercier E. See *Ehrmann S.*
Michaud G. See *Trager G.*
Mihoubi A. See *Lena P.*
Mikulis D. See *Djaiani G.*
Miller DM, Camporota L. Advantages of ProSeal™ and SLIPA™ airways over tracheal tubes for gynecological laparoscopies, 188
Miller G. See *Leipoldt CCP.*
Millington D. See *Finley GA.*
Milne B. See *Parlow JL.*
Minogue SC. See *Nakatsuka N.*
Minville V. See *Nguyen L.*
Minville V, Castel A, Asehnoune K, Chassery C, Lafosse J-M, Nguyen L, Colombani A, Fourcade O. Le propofol pour réaliser une rachianesthésie en position latérale chez les victimes d'une fracture du fémur [Propofol to facilitate spinal anesthesia in the lateral position in patients with femoral neck fracture], 1186
Mistraletti G. See *Hong X.*
Mizogami M. See *Takakura K.*
Mok MS. See *Wu C-C.*
Mollison HL, McKay WPS, Patel RH, Kriegler S, Negraeff OE. Reactive hyperemia increases forearm vein area, 759
Montgomery CJ. See *Nakatsuka N.*
Moon DE. See *Park HJ.*
Moore R. See *Dobson G.*
Moreno L-A. See *Bel I.*
Morgan A. See *Angle PJ.*
Morimoto Y, Sugimura M, Hirose Y, Taki K, Niwa H. Nasotracheal intubation under curve-tipped suction catheter guidance reduces epistaxis, 295
Morin JE. See *Cloutier R.*
Morley-Forster PK. See *Hadi I.*
Morley-Forster PK, Abotaiban A, Ganapathy S, Moulin DE, Leung A, Tsui B. Targeted thoracic epidural blood patch placed under electrical stimulation guidance (Tsui test), 375

Morley-Forster PK, Singh S, Angle P, Littleford J, Currin M, Halpern SH. The effect of epidural needle type on postdural puncture headache: a randomized trial, 572
Morris EAJ. See *Saravanan P.*
Moulin DE. See *Morley-Forster PK.*
Moulin DE. See *Hadi I.*
Muggia-Sullam M. See *Ezri T.*
Muirhead B. See *Ballen J.*
Mujallid RH. See *Alhashemi JA.*
Müllenheim J. See *Preckel B.*
Münster T. See *Schmitt HJ.*
Munt B. See *Béïque F.*
Muntazar M. See *Boushra NN.*
Murakami T. See *Oshima T.*
Muriel C. See *Rodríguez-López JM.*
Murphy P. See *Béïque F.*
Murray MJ, Brull SJ, Bolton CF. Brief review: Nondepolarizing neuromuscular blocking drugs and critical illness myopathy, 1148

N

Naja Z, El-Rajab M, Al-Tannir M, Ziade F, Zbibo R, Oweidat M, Lönnqvist P-A. Nerve stimulator guided pudendal nerve block *versus* general anesthesia for hemorrhoidectomy, 579
Nakano T. See *Al-Jahdari WS.*
Nakatsuka N, Minogue SC, Lim J, Montgomery CJ, Court CA, Malherbe S, Csanyi-Fritz Y, Kearney RA, Phillips L, Reid K, Kingsley J, Ansermino JM. Intravenous nalbuphine 50 μ-kg^{-1} is ineffective for opioid-induced pruritus in pediatrics, 1103
Nathan H. See *Fayad A.*
Naud A. See *Cloutier R.*
Neale JH. See *Saito O.*
Negraeff OE. See *Mollison HL.*
Nemish U. See *Cox RG.*
Newell DW. See *Rozet I.*
Nguyen L. See *Minville V.*
Nguyen L, Riu B, Minville V, Chassery C, Catalaa I, Samii K. Hématome péridural chez une parturiente au décours d'un choc hémorragique [Epidural hematoma after hemorrhagic shock in a parturient], 252
Nicholson G. See *Sarkar P.*
Nicolás JL. See *Rodríguez-López JM.*
Nishikawa K. See *Kanemaru Y.*
Nishiyama T. Analgesic effects of systemic midazolam: comparison with intrathecal administration, 1004
Nishiyama T. Pulse oximeters demonstrate different responses during hypothermia and changes in perfusion, 136
Niwa H. See *Morimoto Y.*
Novick R. See *Bainbridge D.*

O

O'Brien JG. See *Bastien JL.*
O'Connor P, Hanson J, Finucane BT. Induced hypotension with epidural/general anesthesia reduces transfusion in radical prostate surgery, 873
O'Farrell R. See *Karkouti K.*
O'Rourke J. See *Prinzhausen H.*
Obal D. See *Preckel B.*
Okumura Y. See *Oshima T.*
Oral Examinations Group. See *Jacobsohn E.*
Orser BA. See *Caputo KM.*
Orser BJ. See *Caputo KM.*
Oshima T, Kasuya Y, Okumura Y, Murakami T, Dohi S. Identification of independent risk factors for fentanyl-induced cough, 753
Oweidat M. See *Naja Z.*
Ozcan B. See *Gurbet A.*
Ozer M, Baris S, Karakaya D, Kocamanoglu S, Tur A. Behavioural effects of chronic exposure to subanesthetic concentrations of halothane, sevoflurane and desflurane in rats, 653
Özkul V. See *Altmay E.*
Özler A. See *Altmay E.*

P

Pagel PS. See *Krolikowski JG.*
Pagliarello G. See *Kutsogiannis DJ.*
Pandin P. See *Salengros JC.*
Pandin P, Salengros JC, d'Hollander A, Tchekap C, Vandesteene A. Somatosensory evoked potentials as an objective assessment of the sensory median nerve blockade after infraclavicular block, 67
Pargger H. See *Ruettimann U.*
Park C. See *Park HJ.*
Park HJ, Lee Y, Lee J, Park C, Moon DE. The effects of botulinum toxin A on mechanical and cold allodynia in a rat model of neuropathic pain, 470
Parlow JL, Alm R, Milne B. Obesity is a risk factor for failure of "fast track" extubation following coronary artery bypass surgery, 288
Patel RH. See *Mollison HL.*
Paton-Gay D. See *Brindley PG.*
Paul JE. See *Seib RK.; Syed S.*
Petroz GC. See *Prinzhausen H.*

Phillips L. See *Nakatsuka N.*
Pierre-Louis L. See *Lebrun T.*
Pillay JJ. See *Tsui BCH.*
Plank C. See *Kimberger O.*
Plante GE. See *Farand P.*
Podgoreanu MV. See *Izrailtyan I.*
Polin B. See *Lebrun T.*
Poonawala H. See *Djaiani G.*
Preckel B, Obal D, Müllenheim J, Hennes J, Heiderhoff M, Thämer V, Schlack W. Effects of halothane, sevoflurane and desflurane on the force-frequency relation in the dog heart *in vivo*, 1118
Prinzhausen H, Crawford MW, O'Rourke J, Petroz GC. Preparation of the Dräger Primus anesthetic machine for malignant hyperthermia-susceptible patients, 885

Q
Quirt I. See *Karkouti K.*

R
Raabe M. See *Ballen J.*
Ramati E. See *Zohar E.*
Rana NB. See *Shrestha BM.*
Rao V. See *Hornby K.*
Ratnasabapathy U. See *Goutcher CM.*
Raz A, Avramovich A, Saraf-Lavi E, Saute M, Eidelman LA. Spinal cord ischemia following thoracotomy without epidural anesthesia, 551
Reducing Bleeding in Cardiac Surgery (RBC) Research Group. See *Karkouti K.*
Reid K. See *Nakatsuka N.*
Riazi S. See *Karkouti K.*
Riazi S, Karkouti K, Heggie J. Case report: Management of life-threatening oropharyngeal bleeding with recombinant factor VIIa, 811
Riu B. See *Nguyen L.*
Rocker GM, Cook DJ, Shemie SD. Brief review: Practice variation in end of life care in the ICU: implications for patients with severe brain injury, 814
Rodríguez-López JM, Sánchez-Conde P, Lozano FS, Nicolás JL, García-Criado FJ, Cascajo C, Muriel C. Laboratory investigation: Effects of propofol on the systemic inflammatory response during aortic surgery, 701
Rosemeier F. See *Jacobsohn E.*
Ross H. See *Hornby K.; Kutsogiannis DJ.*
Rozet I, Newell DW, Lam AM. Intraoperative jugular bulb desaturation during acute aneurysmal rupture, 97
Rueter F. See *Ruettimann U.*
Ruettimann U, Ummenhofer W, Rueter F, Pargger H. Management of acute respiratory distress syndrome using pumpless extracorporeal lung assist, 101
Ryu H-G. See *Jeon Y.*

S
Saito O, Aoe T, Kozikowski A, Sarva J, Neale JH, Yamamoto T. Ketamine and N-acetylaspartylglutamate peptidase inhibitor exert analgesia in bone cancer pain, 891
Saito S. See *Al-Jahdari WS.*
Saitoh Y. Recovery from vecuronium is delayed in patients with hypercholesterolemia, 556
Salengros JC. See *Pandin P.*
Salengros JC, Pandin P, Schuind F, Vandesteene A. Intraoperative somatosensory evoked potentials to facilitate peripheral nerve release, 40
Salpeter M-J. See *Karkouti K.*
Samii K. See *Nguyen L.*
Samuels J. See *Kjaer K.*
Sánchez-Conde P. See *Rodríguez-López JM.*
Sandefo I. See *Lebrun T.*
Sanders MS. See *Sprung J.*
Sanfilippo A. See *Béïque F.*
Saraf-Lavi E. See *Raz A.*
Saravanan P, Marnane C, Morris EAJ. Extubation of the surgically resected airway – a role for remifentanil and propofol infusions, 507
Sarkar P, Nicholson G, Hall G. Brief review: Angiotensin converting enzyme inhibitors and angioedema: anesthetic implications, 994
Sarva J. See *Saito O.*
Saute M. See *Raz A.*
Sawchuk C. See *Béïque F.*
Schlack W. See *Preckel B.*
Schmitt HJ, Münster T. Mivacurium-induced neuromuscular block in adult patients suffering from Charcot-Marie-Tooth disease, 984
Schroeder DR. See *Sprung J.*
Schuind F. See *Salengros JC.*
Schumann R. See *Hudcova J.*
Scozzafava J, Hussain MS, Yeo T, Jeerakathil T, Brindley PG. Case report: Aggressive blood pressure management for carotid endarterectomy hyperperfusion syndrome, 764
Seib RK, Paul JE. Preoperative gabapentin for postoperative analgesia: a meta-analysis, 461
Shabat S. See *Zohar E.*

Shayan S. See *Karkouti K.*
Shemie SD. See *Baron L.; Doig CJ.; Hornby K.; Kutsogiannis DJ.; Rocker GM.; Tenn-Lyn NA.; Young GB.*
Shenderey A. See *Wong SSF.*
Shepherd J. See *Baker A.*
Sherman M. See *Li Pi Shan W.*
Shimonov M. See *Ezri T.*
Shirakami G. See *Iida H.*
Shrestha BM, Rana NB. Training and development of anesthesia in Nepal – 1985 to 2005, 339
Shrier I. See *Tessler MJ.*
Shulman MS. See *Dalal AR.*
Singh K. See *Chong CT.*
Singh S. See *Morley-Forster PK.*
Sitbon P. See *Van Elstraete AC.*
Sivaprakasam MJ, Dolak JA. Anesthetic and obstetric considerations in a parturient with Klippel-Trenaunay syndrome, 487
Sligl W. See *Brindley PG.*
Splinter W. See *Bhananker SM.*
Sprung J. See *Hall BA.*
Sprung J, Gajic O, Warner DO. Review article: Age related alterations in respiratory function – anesthetic considerations, 1244
Sprung J, Sanders MS, Warner ME, Gebhart JB, Stanhope CR, Jankowski CJ, Liedl L, Schroeder DR, Brown DR, Warner DO. Pain relief and functional status after vaginal hysterectomy: intrathecal *versus* general anesthesia, 690
Stanhope CR. See *Sprung J.*
Stein B. See *Hong X.*
Stewart SH. See *Finley GA.*
Story DA. See *McCall P.*
Sugimura M. See *Morimoto Y.*
Swaminathan M. See *Izrailtyan I.*
Syed S, Paul JE, Hueftlein M, Kampf M, McLean RF. Morphine overdose from error propagation on an acute pain service, 586
Szmuk P. See *Ezri T.*

T

Takakura K, Mizogami M, Fukuda S. Protamine sulfate causes endothelium-independent vasorelaxation via inducible nitric oxide synthase pathway, 162
Taki K. See *Morimoto Y.*
Tanimoto K. See *Iida H.*
Tardif J-C. See *Denault AY.*
Tchekap C. See *Pandin P.*
Teitelbaum J. See *Baron L.; Doig CJ.; Hornby K.; Tenn-Lyn NA.; Young GB.*
Tenn-Lyn NA, Doig CJ, Shemie SD, Teitelbaum J, Cass DE. Potential organ donors referred to Ontario neurosurgical centres, 732
Tessler MJ. See *Chandra D.*
Tessler MJ, Tsiodras A, Kardash KJ, Shrier I. Documentation on the anesthetic record: correlation with clinically important variables, 1086
Thämer V. See *Preckel B.*
Thomas S, Beevi S. Epidural dexamethasone reduces postoperative pain and analgesic requirements, 899
Thörn S-E. See *Axelsson P.*
Tinmouth A. See *Turgeon AF.*
Torok-Both CJ, Jacka MJ, Brindley PG. Best evidence in critical care medicine: Central venous catheterization: the impact of insertion site. Commentary, 524
Trager G, Michaud G, Deschamps S, Hemmerling TM. Comparison of phonomyography, kinemyography and mechanomyography for neuromuscular monitoring, 130
Tsai Y-F, Doufas AG, Huang C-S, Liou F-C, Lin C-M. Postoperative coma in a patient with complete basilar syndrome after anterior cervical discectomy, 202
Tsiodras A. See *Tessler MJ.*
Tsui B. See *Morley-Forster PK.*
Tsui BCH, Li LXY, Ma V, Wagner AM, Finucane BT. Declining randomized clinical trials from Canadian anesthesia departments?, 226
Tsui BCH, Li LXY, Pillay JJ. Compressed air injection technique to standardize block injection pressures, 1098
Tur A. See *Ozer M.*
Turgeon AF, Fergusson DA, Doucette S, Khanna MP, Tinmouth A, Aziz A, Hébert PC. Red blood cell transfusion practices amongst Canadian anesthesiologists: a survey, 344
Turker G. See *Gurbet A.*
Turner K, VanDenKerkhof E, Lam M, Mackillop W. Perioperative care of patients with obstructive sleep apnea – a survey of Canadian anesthesiologists, 299
Tzivian A. See *Ezri T.*

U

Ugun F. See *Gurbet A.*
Ummenhofer W. See *Ruettimann U.*
Usher J. See *Chandra D.*

V
Van der Vyver M. See *Angle PJ.*
Van Elstraete AC. See *Lebrun T.*
Van Elstraete AC, Sitbon P, Mazoit J-X, Conti M, Benhamou D. Protective effect of prior administration of magnesium on delayed hyperalgesia induced by fentanyl in rats, 1180
van Rensburg A. See *Karkouti K.*
VanDenKerkhof E. See *Turner K.*
Vandesteene A. See *Pandin P.; Salengros JC.*
Villeneuve V, Kaufman I, Weeks S, Deschamps A. Anesthetic management of a labouring parturient with urticaria pigmentosa, 380
Viñoles J. See *García-Aguado R.*
Violato C. See *Lockyer JM.*
Vivó M. See *García-Aguado R.*
Vokaer M. See *Kapessidou Y.*

W
Wagner AM. See *Tsui BCH.*
Wang JL. See *Hare GMT.*
Wang Q. See *Liu Y.*
Warltier DC. See *Krolikowski JG.*
Warner DO. See *Sprung J.*
Warner ME. See *Sprung J.*
Wasowicz M. See *Karkouti K.*
Wattwil L. See *Axelsson P.*
Wattwil M. See *Axelsson P.*
Weeks S. See *Villeneuve V.*
Weibrauch D. See *Krolikowski JG.*
Wen Y-R. See *Wu C-C.*
White PF. See *Zohar E.*
Wijeysundera DN. See *Karkouti K.*
Wong AK. Curriculum development in anesthesia: basic theoretical principles, 950
Wong DT, Kumar A. Case report: Endotracheal tube malposition in a patient with a tracheal bronchus, 810
Wong SSF, Shenderey A, Laflamme C. Transesophageal echocardiography images of anomalous circumflex coronary artery (Images in anesthesia), 96
Wright KD. See *Finley GA.*
Wu C-C, Mok MS, Chen J-Y, Wu G-J, Wen Y-R, Lin C-S. Doxapram shortens recovery following sevoflurane anesthesia, 456
Wu G-J. See *Wu C-C.*
Wyand A. See *Bryson GL.*

X
Xiang-Rui W. See *Dian-San S.*
Xiong L. See *Liu Y.*

Y
Yamamoto T. See *Saito O.*
Yan-Hua Z. See *Dian-San S.*
Yang H. See *Fayad A.*
Yao S. See *Liu H.*
Yau TM. See *Karkouti K.*
Yee J. See *Angle PJ.*
Yeo T. See *Scozzafava J.*
Yip LW. See *Chong CT.*
Yongjun Z. See *Dian-San S.*
Yoon S-Z. See *Jeon Y.*
Young GB, Shemie SD, Doig CJ, Teitelbaum J. Brief review: The role of ancillary tests in the neurological determination of death, 620
Young K. See *Doig CJ.*
Yu C, Beattie WS. The effects of volatile anesthetics on cardiac ischemic complications and mortality in CABG: a meta-analysis, 906
Yurtseven N. See *Altmay E.*

Z
Zabeeda D. See *Ezri T.*
Zahalka I. See *Ezri T.*
Zandi S. See *Hong X.*
Zbibo R. See *Naja Z.*
Zhu N. See *Brindley PG.*
Ziade F. See *Naja Z.*
Zimlichman R. See *Ezri T.*
Zohar E, Luban I, White PF, Ramati E, Shabat S, Fredman B. Bispectral index monitoring does not improve early recovery of geriatric outpatients undergoing brief surgical procedures, 20